

Review Paper

Research Landscape of Exercise-related Extracellular Vesicles: A Bibliometric Analysis (2010–2024)

Rasoul Eslami^{1*} ¹ Department of Exercise Physiology, Faculty of Physical Education and Sports Sciences, Allameh Tabataba'i University, Tehran, Iran.

Citation Eslami R. Research Landscape of Exercise-related Extracellular Vesicles: A Bibliometric Analysis (2010–2024). *Physical Treatments*. 2026; 16(2):115-126. <http://dx.doi.org/10.32598/ptj.16.2.748.1>

doi <http://dx.doi.org/10.32598/ptj.16.2.748.1>

Article info:

Received: 27 Jul 2025

Accepted: 06 Sep 2025

Available Online: 01 Apr 2026

Keywords:

Bibliometric analysis,
Exercise training,
Extracellular vesicles
(EVs)

ABSTRACT

Purpose: Extracellular vesicles (EVs) are key mediators of interorgan communication during exercise, with growing research interest in their role in exercise physiology and health. This study aimed to map the research landscape of exercise-related EVs from 2010 to 2024 using bibliometric analysis.

Methods: We analyzed 398 publications (252 articles and 146 reviews) from the Web of Science Core Collection (WoSCC), employing the Bibliometrix R package software, version 4.4.1, VOSviewer software, version 1.6.20, and Microsoft Excel to evaluate publication trends, key contributors, and research foci.

Results: The field exhibits a robust annual growth rate of 30.38%, with a peak of 85 publications and 2411 citations in 2023. China and the United States lead publication output, together accounting for 36% of total publications, with key institutions, including the University of Pittsburgh and Harvard University. Core journals, such as *Frontiers in Physiology* and *International Journal of Molecular Sciences*, dominate the field. Keyword analysis highlights “EVs,” “exosomes,” “exercise,” and “skeletal muscle” as central themes, alongside emerging topics, such as micro ribonucleic acids (microRNAs), oxidative stress, and insulin resistance.

Conclusion: These findings underscore the increasing recognition of EVs as critical mediators of exercise-induced interorgan crosstalk and their potential as biomarkers for health and disease, providing a foundation for future interdisciplinary research in exercise physiology and EV biology.

* Corresponding Author:

Rasoul Eslami

Address: Department of Exercise Physiology, Faculty of Physical Education and Sports Sciences, Allameh Tabataba'i University, Tehran, Iran.

E-mail: eslami.rasul@gmail.com

Copyright © 2026 The Author(s);
This is an open access article distributed under the terms of the Creative Commons Attribution License (CC-BY-NC; <https://creativecommons.org/licenses/by-nc/4.0/legalcode.en>), which permits use, distribution, and reproduction in any medium, provided the original work is properly cited and is not used for commercial purposes.

Highlights

- **Robust growth:** The field of exercise-related EVs has experienced a 30.38%, annual growth rate, with a peak of 85 articles and 2,411 citations in 2023.
- **Global leadership:** China and the United States are the leading contributors, accounting for over 36% of total publications, with prominent institutions, such as the University of Pittsburgh and Harvard University, driving research.
- **Key themes:** The dominant keywords include “EVs,” “exosomes,” “exercise,” and “skeletal muscle,” highlighting the focus on EVs as mediators of interorgan communication.
- **Emerging trends:** Research is increasingly exploring the roles of microRNAs, oxidative stress, and insulin resistance in exercise-induced EV signaling.
- **Interdisciplinary potential:** The study underscores the promise of EVs as biomarkers for health and disease, bridging exercise physiology and EV biology.

Plain Language Summary

This study provides a comprehensive overview of research on extracellular vesicles (EVs) released during exercise, analyzing 398 publications from 2010 to 2024. EVs are tiny particles that cells release to communicate with each other and play a key role in the beneficial effects of exercise. The findings show a rapid increase in research interest, with China and the United States leading in publications. Key topics include EVs' roles in muscle function, their potential as health biomarkers, and their association with conditions, such as oxidative stress and insulin resistance. The study also identifies top journals, institutions, and authors in the field, offering valuable insights for future research. By mapping these trends, the analysis helps scientists understand the growing importance of EVs in exercise science and their potential applications in medicine.

Introduction

The investigation of variables that may mediate interorgan crosstalk during and after exercise is an exciting area of study in exercise physiology. Exercise stimulates multiple metabolic pathways across tissues, organs, and systems; therefore, it is critical to investigate the molecular mechanisms underlying the metabolic benefits of exercise. During exercise, skeletal muscles release humoral factors into the bloodstream, which are termed myokines [1]. These myokines are widely recognized and extensively researched in the field of exercise science [2]. Exercise triggers the release of signaling molecules from multiple tissues, including the nervous system, white and brown adipose tissue, liver, and heart, collectively termed ‘exerkines,’ which encompass cytokines, lipids, metabolites, and nucleic acids [3]. These exerkines mediate interorgan crosstalk during exercise, with myokines representing a subset derived from skeletal muscle. Complementing exerkines, extracellular vesicles (EVs) serve as critical carriers of these signaling molecules, protecting and delivering complex

cargos, such as micro ribonucleic acids (microRNAs) and proteins, to distant tissues, thereby enhancing exercise-induced interorgan communication [3, 4]. Unlike myokines, which are primarily secreted proteins, EVs encapsulate a diverse array of biomolecules, offering a unique mechanism for stable, long-distance signaling [4]. Notably, exercise modalities, such as aerobic training and yoga, have been shown to reduce inflammatory markers, such as interleukin-6 (IL-6), C-reactive protein (CRP), and tumor necrosis factor-alpha (TNF- α) in older adults and patients with multiple sclerosis, respectively, highlighting the potential of exercise-induced EVs in modulating chronic inflammation across diverse clinical populations [5, 6].

Exerkines and EVs have garnered significant interest because they function as carriers of molecular signals and are recognized as key mediators of communication between organs during exercise [4]. EVs are membranous vesicles released by all cell types during both physiological and pathophysiological conditions. According to their biogenesis, size, and biophysical properties, they can be roughly divided into two main categories: exo-

somes and microvesicles [7]. EVs also include vesicles generated through different cell death processes, including apoptosis, necrosis, and focal cell death [8]. The potential of EVs is mainly related to their cargo. The “vesicular package” protects signals from damage and enables the transmission of multiple messages over long distances. Moreover, EVs are considered potential biomarkers for numerous disorders since their content may reflect the original cell state [9].

Alan Prichard initially presented a bibliometric analysis in 1969 [10]. Bibliometrics is a widely used method for quantitatively and statistically visualizing evidence based on information in published studies in a given research field, including authors, countries, and their co-operation, institutions, journals, analysis of keywords, references, and co-citations [11]. Bibliometric analysis offers researchers a distinctive perspective on the present landscape and emerging directions in a given field, providing insights that conventional methods, such as systematic reviews, meta-analyses, and evidence mapping, cannot deliver [12]. Unlike systematic reviews or meta-analyses, which focus on synthesizing study findings, bibliometric analysis quantitatively maps publication trends, collaborations, and research foci across a field, using tools, such as CiteSpace, VOSviewer software, version 1.6.20, and the Bibliometrix R package software, version 4.4.1, which are widely applied in medicine, biology, and immunology [13]. This approach is particularly suited to studying exercise-related EVs, as it can identify emerging trends and key research themes in this rapidly evolving interdisciplinary field [13].

To date, no bibliometric study has quantitatively examined the impact of exercise on EVs from 2010 to 2024, a period marked by rapid growth in EV research due to their emerging role in exercise physiology [4]. This study addresses this gap by employing bibliometric methods to comprehensively evaluate existing research, driven by the interdisciplinary nature of EV studies and the need to map evolving trends and collaborations in this dynamic field [13]. Using scientific visualization tools, we identified and assessed current research hotspots and emerging trends to guide future investigations in exercise-related EV biology.

Materials and Methods

Search strategies and data sources

Among major academic databases, such as Scopus and PubMed, the Web of Science (WoS) core collection (WoSCC) is widely recognized as the most authoritative

and comprehensive source for bibliometric research. For this study, we retrieved all scientific publications on exercise-related EVs from WoSCC, spanning the years 2010 to 2024. The search query combined the terms: TS=([\[exercise\]](#) OR [\[exercise training\]](#) OR [\[physical activity\]](#)) AND TS=(EVs), limited to articles and reviews published between January 1, 2010, and July 19, 2024. The term “EVs” was chosen because it is a widely accepted umbrella term encompassing related concepts, such as exosomes and microvesicles, ensuring comprehensive coverage of the relevant literature while minimizing redundancy. Similarly, the terms “exercise,” “exercise training,” and “physical activity” were selected to capture studies broadly on physical exertion. The initial search yielded 438 records, which were subsequently refined by excluding non-relevant document types, including meeting abstracts (22), editorials (7), early access publications (5) due to potential incomplete metadata or unfinished peer-review processes, book chapters (3), corrections (2), and letters (1), as these often lack comprehensive scientific content or robust citation data required for quantitative mapping (12). After this rigorous screening process, 398 qualified records remained for analysis, comprising 252 research articles and 146 review papers. All selected publications were exported as complete records with cited references in plain text format for bibliometric mapping. [Figure 1](#) shows a detailed flowchart of the document selection procedure.

Data analysis and visualization

For this bibliometric analysis, we employed two primary software tools: The Bibliometrix R package software, version 4.4.1 and VOSviewer software, version 1.6.20. The Bibliometrix R package software, version 4.4.1, run through R-Studio, facilitated quantitative analysis by extracting key publication metrics, including annual output, leading countries/institutions, prominent journals, and author h-indices, as well as co-word analysis to identify keyword relationships [14]. Bibliographic coupling and thematic evolution analyses were not conducted, as the study focused on publication trends and keyword co-occurrence networks. VOSviewer software, version 1.6.20 generated co-occurrence network maps for keywords, where node size represented keyword frequency, node color indicated thematic clusters, and line thickness reflected the strength of co-occurrence relationships [15]. This multi-tool approach ensured rigorous data synthesis and intuitive visualization of research trends.




Figure 1. Flowchart of document selection

Results

Publication output analysis

The 398 documents retrieved in this study were cited 9944 times, with an average of 24.98 citations per article and an h-index of 51, as summarized in Table 1. Table 1 presents key bibliometric metrics, including total documents, citations, and citation impact. A total of 398 publications were identified between January 1, 2010, and July 20, 2024, including 252 articles and 146 reviews. Figure 2 demonstrates that, in recent years, the number of articles and citations in this field has increased with a 30.38% annual growth rate. Specifically, the number of citations (2411) and articles (85) peaked in 2023. The ongoing increase in publications likely reflects the growing recognition of EVs' role and their responsiveness to physiological and metabolic adaptations during exercise.

Analysis of countries and institutions

A total of 36 countries of corresponding authors and 639 institutions contributed to the 398 filtered studies on exercise-related EVs from January 1, 2010, to July

19, 2024. China and the United States led publication output, each contributing 73 articles (together accounting for over 36% of total publications), followed by Italy (n=45), Canada (n=25), and Brazil (n=21), as shown in Figure 3. Table 2 presents the details of the top 10 countries, their publications, and single-country publication (SCP) and multiple-country publication (MCP) collaborations. Regarding citations, the United States led with 1620 citations and an average of 22.20 citations per article, followed by China with 1579 total citations and 21.60 average citations, Italy with 1138 total citations and 25.30 average citations, Australia with 948 total citations and 55.80 average citations, and Canada with 848 total citations and 33.90 average citations.

The most productive institution is the Pennsylvania commonwealth system of higher education (PCHE) (36 publications), followed by the University of Pittsburgh (36 publications), Harvard University (28 publications), the University of California (25 publications), and National University of Singapore (21 publications). Table 3 presents the lists of the top 10 institutions with the highest number of publications.

Table 1. Bibliographic statistics of publications extracted from Web of Science

Publications	Sum of the Times Cited	Citing Articles	Average Citations per Item	H-index
398	9944	7456	24.98	51




Figure 2. The annual number of publications and citations from 2010 to 2024

PHYSICAL TREATMENTS

Analysis of journals

All publications were found in 231 journals. Bradford's Law, also known as Bradford's Law of Dispersion, states that a core group of journals will contain a large proportion of relevant articles, while the remaining articles will be dispersed across a larger number of less-cited journals [16]. Based on this Law, the 20 core sources with the most

publications in this field account for 8.65% (20/231) of the whole publication source sample (Figure 4).

Table 4 presents the basic information of the top 10 most productive journals. "Frontiers in psychology" tops the list with 24 publications, followed by "International Journal of Molecular Sciences" with 15 publications, "Journal of Physiology-London" with 9 publications,

Table 2. Top 10 corresponding author's countries, 2010-2024

Rank	Country	Publications	Publications (%)	SCP	MCP	MCP (%)
1	China	73	18.3	53	20	27.4
2	USA	73	18.3	56	17	23.3
3	Italy	45	11.3	30	15	33.3
4	Canada	25	6.3	21	4	16
5	Brazil	21	5.3	11	10	47.6
6	Germany	19	4.8	12	7	36.8
7	United Kingdom	18	4.5	11	7	38.9
8	Australia	17	4.3	11	6	35.3
9	Japan	13	3.3	11	2	15.4
10	Spain	11	2.8	7	4	36.4

SCP: Single-country publication; MCP: Multiple-country publication.

PHYSICAL TREATMENTS




Figure 3. Number of publications in the top 10 corresponding author's country

PHYSICAL TREATMENTS

“Frontiers in cell and developmental biology” with 8 publications, and “experimental physiology” with 6 publications.

Analysis of authors

A total of 2451 authors contributed to the study. In terms of publications in this field, Sahu A was the most productive author, with 7 publications, followed by Tarnopolsky MA (7 publications), Ambrosio F (6 publications), Cechinel LR (6 publications), and Gavin TP (6 publications). Table 5 presents the top 10 authors. Figure 5 shows the activity of these authors from 2010 to 2024. Most of the top authors are still actively publishing articles in the field.

Analysis of keywords

Keywords are author summaries of the article's content, reflecting the main points and research frontiers of the study. Figure 6A illustrates the most frequently used keywords in this publication, with the size of each box representing the frequency of usage and the percentage of each keyword's usage in the total texts reviewed displayed within each box. Figure 6B shows a cloud map of the top 50 keywords used in these articles, with bolder fonts indicating greater frequency. High-frequency keywords included ‘EVs’, ‘exosomes’, ‘exercise’, ‘skeletal muscle’, ‘expression’, ‘physical activity’, ‘cells’, ‘microRNAs’, ‘microvesicles’, ‘oxidative stress’, ‘biogenesis’, ‘gene expression’, ‘insulin resistance’, ‘release’, and ‘biomarkers’, all occurring more than 20 times. Notably, ‘oxidative stress’ and ‘insulin resistance’ are

Table 3. Top 10 author's institutions

Rank	Institution	Country	Publications
1	Pennsylvania Commonwealth System of Higher Education (Pcshe)	USA	36
2	University of Pittsburgh	USA	36
3	Harvard University	USA	28
4	University of California	USA	25
5	National University of Singapore	Singapore	21
6	G D'Annunzio University of Chieti-Pescara	Italy	20
7	University of Kentucky	USA	20
8	Aarhus University	Denmark	19
9	Air Force Military Medical University	China	17
10	Harvard Medical School	USA	16

PHYSICAL TREATMENTS




Figure 4. The core journals in the exercise-related EVs field based on bradford’s law

emerging as key research foci due to their biological and clinical relevance: oxidative stress is linked to exercise-induced cellular responses and tissue repair, while insulin resistance reflects the role of exercise-related EVs in metabolic regulation, with potential implications for diseases, such as diabetes [4, 17].

After conducting a VOSviewer analysis, we identified 2438 keywords. After the keyword filtering process with

a minimum occurrence threshold of 10, we identified 65 keywords. After that, a keyword co-occurrence network map was created (Figure 7), showing important associations among terms, such as EVs, exercise, exosomes, and oxidative stress. The 65 keywords are categorized into four clusters. Cluster one (red) includes terms, such as EVs, exosome, cells, inflammation, proliferation, cancer, stem cells, regeneration, and aging, primarily focusing on cell-related aspects. Cluster two (green) includes exo-

Table 4. Top 10 relevant journals

Rank	Journal	Publications	IF (2023)	JCR Category
1	Frontiers in Physiology	24	4.0	Physiology
2	International Journal of Molecular Sciences	15	5.6	Biochemistry and molecular biology
3	Journal of Physiology-London	9	4.7	Physiology
4	Frontiers in Cell and Developmental Biology	8	5.5	Cell and developmental biology
5	Experimental Physiology	6	2.6	Physiology
6	FASEB Journal	6	4.8	Biology
7	Scientific Reports	6	4.6	Multidisciplinary sciences
8	Cells	5	6	Cell biology
9	Experimental Gerontology	5	3.9	Experimental gerontology
10	Free Radical Biology and Medicine	5	7.4	Endocrinology and metabolism

IF: Impact factor; JCR: Journal citation reports.

Table 5. Top 10 most productive authors distributed by publications

Rank	Authors	Publications	Citations	Publications Fractionalized
1	Sahu A	7	19	0.671
2	Tarnopolsky MA	7	534	1.598
3	Ambrosio F	6	19	0.546
4	Cechinel LR	6	115	1.211
5	Gavin TP	6	118	0.828
6	Kargl CK	6	17	0.686
7	Whitham M	6	444	1.502
8	Adamo kb	5	11	0.744
9	Conkright WR	5	16	0.403
10	Kuang SH	5	106	0.628

PHYSICAL TREATMENTS


somes, exercise, skeletal muscle, microRNAs, plasma, microvesicles, and primarily focuses on aspects related to the release of exosomes and vesicles. Cluster three (blue) involves physical activity, skeletal muscle, endurance exercise, aerobic exercise, insulin resistance, obesity, and adipose tissue, focusing on some influential aspects of physical activity. Finally, cluster four (yellow), which includes the keywords oxidative stress, angiogenesis, heart, mechanisms, nitric oxide, progenitor cells, and responses.

The node size shown in Figures 7A and 7B is positively correlated with the frequency of node content, and the thickness of the connection line is positively correlated with the co-occurrence frequency between nodes at both ends. Different color clustering reflects the cooperative relationship between keywords (Figure 7A). The colors

in the overlay visualization shown in Figure 5B represent the average publication year of the identified keywords. Most keywords were published after 2020, with green colors (Figure 7B).

Discussion

EVs represent a critical mechanism for intercellular communication across biological systems. Structurally, they are categorized into three subtypes based on size and morphology: Exosomes, microvesicles, and apoptotic bodies, all featuring characteristic lipid bilayer membranes [18, 19]. Functionally, these vesicles transport diverse biomolecules - particularly microRNAs and messenger RNAs (mRNAs)-that mediate the physiological effects of their parent cells, including intercellular signaling [20].

**Figure 5.** Authors' production over time

PHYSICAL TREATMENTS




Figure 6. The keyword analysis in exercise-related EVs publications (2010-2024)

A) The treemap based on keywords plus, B) The wordcloud based on keywords plus

Notably, EVs exhibit remarkable sensitivity to physiological stress, as evidenced by their dynamic proteomic profiles [21, 22]. In this context, exercise training emerges as a potent physiological stimulus with systemic health implications. Regular physical activity is associated with reduced all-cause mortality and decreased risk of various chronic, age-related pathologies [23]. Significantly, many of these conditions, including cardiovascular disease [24], metabolic disorders [17], malignancies [25], and neurodegenerative diseases [26], demonstrate substantial involvement of EVs in their pathogenesis and progression.

Bibliometric records from WoSCC indicate that exercise-related EVs have garnered increasing scholarly attention since 2001 [26, 27]. Our research indicates a notable rise in publications between 2010 and 2024, possibly indicating growing interest among active authors in this area. This increased attention may be due to the role of exercise in regulating EVs and their impact on both physiological and pathological processes.

Bibliometric analysis, as applied in this study, has enabled the identification of key research trends and interdisciplinary connections in the field of exercise-related




Figure 7. Co-occurrence analysis of keywords in exercise-related EVs publications (2010–2024)

PHYSICAL TREATMENTS

A) Network visualization, showing relationships between keywords as nodes connected by edges, with node size and edge thickness indicating frequency and co-occurrence strength, respectively; B) Overlay visualization, highlighting temporal trends by mapping keyword frequencies over time using color gradients

EVs. By mapping publication outputs, keyword co-occurrence networks, and international collaborations, this approach highlights critical areas, such as the role of EVs in skeletal muscle signaling, microRNA transport, and their potential as biomarkers for conditions, such as insulin resistance and oxidative stress. These insights facilitate the prediction of future research directions, such as exploring multi-organ interactions and EV-based therapeutic applications, fostering interdisciplinary advancements in exercise physiology and molecular biology.

This study represents the first bibliometric assessment of research on exercise-related EVs, systematically evaluating current knowledge landscapes and emerging trends through quantitative data analysis. The annual publication output demonstrates a consistent upward trajectory, reflecting both growing scholarly interest and the field's developmental potential. Our analysis of contributions according to country revealed that China and the USA dominate this field. These countries were the most productive, contributing >36% of all publications. Also, of the top 10 institutions, five were in the USA. This could be linked to the economic progress and financial backing for scientific research in these major contributing countries.

The 398 analyzed studies on exercise-related EVs appeared in 231 distinct journals. Applying Bradford's Law of Scattering, which divides journals into three

zones, with the core zone containing approximately one-third of all articles, we identified 20 core journals that collectively published a significant proportion of articles in this field. *Frontiers in Physiology* emerged as the most prominent journal, leading in three key metrics (publication volume [n=24], h-index [140], total citations [53, 422]). Other high-impact journals included the *International Journal of Molecular Sciences* and the *Journal of Physiology-London*. Notably, among the top 10 journals by publication count, only *Journal of Physiology-London* and *Cell and developmental biology* maintained impact factors exceeding 5.0, highlighting the competitive nature of publishing in high-impact journals within this research domain. Amrita Sahu, affiliated with the *University of Pittsburgh* in the United States, has emerged as the most prolific author in the selected research field with 7 publications (Table 5). Her work is influential due to its focus on key topics, such as aging, skeletal muscle, brain health, EVs, and regenerative medicine, which align with the dominant research themes identified in this study.

Keyword co-occurrence analysis reveals that a significant portion of exercise-related EVs originates from skeletal muscles, as evidenced by the prominence of “skeletal muscle” (appearing 54 times) alongside main keywords, such as “EVs” (96 times), “exosomes” (80 times), and “exercise” (74 times) in the co-occurrence networks. A comprehensive understanding of this phenomenon re-

quires further examination of multi-organ interactions, which could bridge exercise science with other fields such as oncology, where EVs may serve as biomarkers or therapeutic mediators in cancer metabolism, and neurology, where EVs may contribute to neuroprotective effects in neurodegenerative diseases [4, 17]. Notably, aerobic exercise has been shown to reduce inflammatory markers, such as IL-6, CRP, and TNF- α in older adults, supporting the potential role of exercise-induced EVs in modulating chronic inflammation, a key factor in both cancer and neurodegenerative diseases [5, 6].

Conclusion

In summary, this study utilized literature from the [Web of Science](#) database, employing visualization tools, such as VOSviewer and the Bibliometrix R package, to analyze trends and focal areas in exercise-related EVs. Statistical analyses of publication volume, countries, institutions, authors, journals, references, and keywords provided comprehensive insights into the field's evolutionary path and research priorities. These findings highlight the critical role of EVs in exercise physiology by facilitating interorgan crosstalk and supporting physiological adaptations, such as improved muscle function and metabolic regulation. In EV biology, the analysis emphasizes EVs' capacity to deliver biomolecules over long distances for signaling. Clinically, the prominence of keywords, such as 'biomarkers,' 'oxidative stress,' and 'insulin resistance', suggests that exercise-induced EVs hold promise as diagnostic or therapeutic tools for chronic conditions, including cancer and neurodegenerative diseases. These insights pave the way for future interdisciplinary research to advance health and disease management.

Limitations

Several limitations should be acknowledged in this study. First, our analysis exclusively utilized the WoSCC, excluding other major databases ([PubMed](#), [Scopus](#), [Embase](#), [Cochrane Library](#)). This approach may have led to incomplete data coverage. Second, while bibliometric analysis provides valuable insights, it serves as a supplementary research tool and may not fully reflect the dynamics of actual research. Third, to optimize visualization clarity, we established a minimum threshold of 10 occurrences for keyword analysis. This criterion potentially excluded emerging or less frequent (but potentially significant) terms from our evaluation.

Ethical Considerations

Compliance with ethical guidelines

There were no ethical considerations to be considered in this research.

Funding

This research did not receive any grant from funding agencies in the public, commercial, or non-profit sectors.

Acknowledgments

The author thanks all researchers whose studies were used in this study.

References

- [1] Pedersen B, Steensberg A, Fischer C, Keller C, Keller P, Plomgaard P, et al. Searching for the exercise factor: Is IL-6 a candidate? *Journal of Muscle Research & Cell Motility*. 2003; 24:113-9. [\[PMID\]](#)
- [2] Pedersen BK, Febbraio MA. Muscles, exercise and obesity: Skeletal muscle as a secretory organ. *Nature Reviews Endocrinology*. 2012; 8(8):457-65. [\[Link\]](#)
- [3] Chow LS, Gerszten RE, Taylor JM, Pedersen BK, van Praag H, Trappe S, et al. Exerkines in health, resilience and disease. *Nature Reviews Endocrinology*. 2022; 18(5):273-89. [\[Link\]](#)
- [4] Vechetti Jr IJ, Valentino T, Mobley CB, McCarthy JJ. The role of extracellular vesicles in skeletal muscle and systematic adaptation to exercise. *The Journal of Physiology*. 2021; 599(3):845-61. [\[PMID\]](#)
- [5] Maddah E, Avandi SM, Haghshenas R, Poorhabibi H. The effect of eight-week yoga training on serum levels of interleukin 6, interleukin 10, tumor necrosis factor alpha and body composition in women with multiple sclerosis. *Journal of Sport & Exercise Physiology* 2024; 17(3). [\[PMID\]](#)
- [6] Tayebi SM, Poorhabibi H, Heidary D, Amini MA, Sadeghi A. Impact of aerobic exercise on chronic inflammation in older adults: A systematic review and meta-analysis. *BMC Sports Science, Medicine and Rehabilitation*. 2025; 17(1):229. [\[PMID\]](#)
- [7] Doyle LM, Wang MZ. Overview of extracellular vesicles, their origin, composition, purpose, and methods for exosome isolation and analysis. *Cells*. 2019; 8(7):727. [\[PMID\]](#)
- [8] Buzas EI. The roles of extracellular vesicles in the immune system. *Nature Reviews Immunology*. 2023; 23(4):236-50. [\[PMID\]](#)
- [9] O'Brien K, Breyne K, Ughetto S, Laurent LC, Breakefield XO. RNA delivery by extracellular vesicles in mammalian cells and its applications. *Nature Reviews Molecular Cell Biology*. 2020; 21(10):585-606. [\[PMID\]](#)

- [10] Pritchard A. Statistical bibliography or bibliometrics. *Journal of documentation*. 1969; 25:348. [\[Link\]](#)
- [11] İri R, Ünal E. Bibliometric analysis bibliometric analysis of research (1980-2023). *Ahi Evran Üniversitesi Sosyal Bilimler Enstitüsü Dergisi*. 2024; 10(2):386-403. [\[Link\]](#)
- [12] Lv H, Hua Q, Wang Y, Gao Z, Liu P, Qin D, et al. Mapping the knowledge structure and emerging trends of efferoctosis research: A bibliometric analysis. *American Journal of Translational Research*. 2023; 15(2):1386. [\[PMID\]](#)
- [13] Salsali M, Sheikhhoosini R, Pooraghaei Ardekani Z. Association between physical activity and exercise with cognitive function: a bibliometric analysis. *Journal of Health Sciences & Surveillance System*. 2024; 12(3):236-50. [\[Link\]](#)
- [14] Derviş H. Bibliometric analysis using bibliometrix an R package. *Journal of Scientometric Research*. 2019; 8(3):156-60. [\[Link\]](#)
- [15] Van Eck N, Waltman L. Software survey: VOSviewer, a computer program for bibliometric mapping. *Scientometrics*. 2010; 84(2):523-38. [\[DOI:10.1007/s11192-009-0146-3\]](#)
- [16] Bradford SC. Classic paper: Sources of information on specific subjects. *Collection Management*. 1976; 1(3-4):95-104. [\[Link\]](#)
- [17] Huang-Doran I, Zhang CY, Vidal-Puig A. Extracellular vesicles: Novel mediators of cell communication in metabolic disease. *Trends in Endocrinology & Metabolism*. 2017; 28(1):3-18. [\[Link\]](#)
- [18] Morrison TJ, Jackson MV, Cunningham EK, Kissenpfennig A, McAuley DF, O'Kane CM, et al. Mesenchymal stromal cells modulate macrophages in clinically relevant lung injury models by extracellular vesicle mitochondrial transfer. *American Journal of Respiratory and Critical Care Medicine*. 2017; 196(10):1275-86. [\[PMID\]](#)
- [19] Ogisu K, Fujio M, Tsuchiya S, Tsuboi M, Qi C, Toyama N, et al. Conditioned media from mesenchymal stromal cells and periodontal ligament fibroblasts under cyclic stretch stimulation promote bone healing in mouse calvarial defects. *Cytherapy*. 2020; 22(10):543-51. [\[PMID\]](#)
- [20] Xia C, Zeng Z, Fang B, Tao M, Gu C, Zheng L, et al. Mesenchymal stem cell-derived exosomes ameliorate intervertebral disc degeneration via anti-oxidant and anti-inflammatory effects. *Free Radical Biology and Medicine*. 2019; 143:1-15. [\[PMID\]](#)
- [21] Iliuk A, Wu X, Li L, Sun J, Hadisurya M, Boris RS, et al. Plasma-derived extracellular vesicle phosphoproteomics through chemical affinity purification. *Journal of Proteome Research*. 2020; 19(7):2563-74. [\[PMID\]](#)
- [22] Whitham M, Parker BL, Friedrichsen M, Hingst JR, Hjorth M, Hughes WE, et al. Extracellular vesicles provide a means for tissue crosstalk during exercise. *Cell Metabolism*. 2018; 27(1):237-51. e4. [\[PMID\]](#)
- [23] Pedersen BK. The physiology of optimizing health with a focus on exercise as medicine. *Annual Review of Physiology*. 2019; 81(1):607-27. [\[PMID\]](#)
- [24] Boulanger CM, Loyer X, Rautou PE, Amabile N. Extracellular vesicles in coronary artery disease. *Nature Reviews Cardiology*. 2017; 14(5):259-72. [\[PMID\]](#)
- [25] Xu R, Rai A, Chen M, Suwakulsiri W, Greening DW, Simpson RJ. Extracellular vesicles in cancer – implications for future improvements in cancer care. *Nature Reviews Clinical Oncology*. 2018; 15(10):617-38. [\[PMID\]](#)
- [26] Thompson AG, Gray E, Heman-Ackah SM, Mäger I, Talbot K, Andaloussi SE, et al. Extracellular vesicles in neurodegenerative disease – pathogenesis to biomarkers. *Nature Reviews Neurology*. 2016; 12(6):346-57. [\[PMID\]](#)
- [27] Lynge J, Juel C, Hellsten Y. Extracellular formation and uptake of adenosine during skeletal muscle contraction in the rat: role of adenosine transporters. *The Journal of Physiology*. 2001; 537(Pt 2):597. [\[PMID\]](#)